



KRAMER PI VISUAL SO





EXTENDERS

Comprehensive line of innovative range extension solutions for sending various signal types over long distances using twisted pair, fiber, or coax cables





TP-580T

- HDBaseT 1.0 transmitter
- Up to 70m (230ft) at 1080p
- Up to 40m (130ft) at 4K@60Hz (4:2:0)
- Up to 4K@60Hz (4:2:0) 24bpp video resolution
- · Control extension

₱22,850



TP-580TXR

- HDBaseT 1.0 transmitter
- Up to 180m (590ft) at 1080p
- Up to 100m (330ft) at 4K@60Hz (4:2:0)
- Up to 4K@60Hz (4:2:0) 24bpp video resolution
- Control extension

₱34,445



TP-580R

- HDBaseT 1.0 receiver
- Up to 70m (230ft) at 1080p
- Up to 40m (130ft) at 4K@60Hz (4:2:0)
- Up to 4K@60Hz (4:2:0) 24bpp video resolution
- Control extension

₱22,850



TP-580RXR

- HDBaseT 1.0 receiver
- Up to 180m (590ft) at 1080p
- Up to 100m (330ft) at 4K@60Hz (4:2:0)
- Up to 4K@60Hz (4:2:0) 24bpp video resolution
- Control extension

₱34,445

DISTRIBUTION AMPLI

High-performance distribution amplifiers (DAs) for sending digital or analog computer, video, audio, and data signals to multiple devices



VM-2H2

- 1:2 HDMl distributor
- Resolution Up to 4K@60Hz (4:4:4)
 - Bandwidth Up to 17.82Gbps
- Compliance HDR10, HDCP 2.2
 - Simple, intelligent EDID operation
- Force RGB
- HDCP authorization control

₱31,035

VM-3

- 1:3
- ResBas
- Co
- Sin
- HD

₱36,[′]



VM-8H

- Max. Data Rate 6.75Gbps (2.25Gbps per graphic channel)
- HDCP Compliant
- Enhanced EDID

₱76,393

SWITCHERS & MATRICES

Multi-format switchers and matrices for simple switching of multiple audio, video, and control sources to single (switcher) or multiple (matrix) destinations





VS-211H2

- UP TO 18GBPS DATA RATE
- UP TO 4K@60HZ (4:4:4) RESOLUTION
- HDR AND HDCP 2.2 COMPLIANT

₱29,670

VS-41

- 4X
- UP
- AUCC

₱34,



VM-161H | 16X1 HDMI SWITCHER

- Max. Data Rate 4.95Gbps (1.65Gbps per graphic channel)
- HDCP Compliant
- · Signal Equalization
- Control RS-232, Ethernet & IR

₱111,861

WIRELESS PRESENTATION & COLLABORATION

VIA family of wired and wireless presentation and True-Collaboration™ solutions





VIA GO

- CONNECT USING CONVENTIONAL WI-FI AND/OR LAN
- SUPPORTS WINDOWS™ AND MAC™ LAPTOPS, CHROMEBOOK AND ANDROID™ MOBILE OPERATING SYSTEMS
- TWO PARTICIPANTS CAN PRESENT SIMULTANEOUSLY

₱47,064





VIA CAMPUS

- Compatible with leading operating systems
- Intuitive user interface
- 4K output and high-quality video streaming
- IOS and Android mirroring
- Direct run of 3rd party web applications
- Powerful security features
- Popular third-party app support Optimized for video conferencing

₱197,803

UNIFIED COMMUNICATION SOLUTIONS



K-180 MINI

- 12 MP CAMERAS AND 4K DEFINITION PROVIDE CLEAR, SHARP V
- $\operatorname{AUTO-STITCHING}\operatorname{OF}\operatorname{SPLIT}\operatorname{FRAMES}\operatorname{ELIMINATES}\operatorname{DISTORTION}$

₱41,607



AV OVER IP

Explore Kramer AV's reliable AV over IP solutions for seamless video distribution. Experience superior connectivity and elevate your AV setup today



KDS-EN7

- OUTSTANDING END-USER EXPERIENCE
- IDEAL FOR LARGE-SCALE DEPLOYMENTS
- ROBUST SECURITY
- SIMPLE PLANNING AND ROLLOUT

₱88,670



KDS-8

- USER CONFIGURED AS ENCODER OR DECODER
- MAX RESOLUTION 4K@60HZ (4:4:4)
- FULLY STANDARD AND COMPLIANT SDVOE CODEC.
- STREAMING SUPPORT MULTICAST, UNICAST.
- POWERED BY THE NETWORK (POE)
- · VIDEO WALL AND MULTIVIEW SUPPORT
- MANAGED BY KDS-8-MNGR

₱144,601

CONTROL AND MANAGEMENT

Simple and comprehensive user control of room AV and automation systems with site and enterprise AV management





SL-1N

- 2 Bidirectional RS-232 ports
- 2 IR emitter ports
- 3 relay ports
- 1 IR sensor and 1 IR input port for learning
- 1 Ethernet port
- 1K-NET™ port
- K-Config[™] programming software compatible
- $\bullet \quad \mathsf{Site}\text{-}\mathsf{CTRL}^{\!{\scriptscriptstyle\mathsf{TM}}}\,\mathsf{software}\,\mathsf{compatible}$
- Supported by: K-Config Only
- Managed by Kramer Network

₱23,532



- 8.5
- Ult
- H.2

₱83,





KT-208

- 8" elegant, portable, high-quality touch panel
- · Single Ethernet cable for connectivity & powering
- Advanced Wi-Fi connectivity options
- · Flexible mounting options
- Supported by: Kramer Control

₱132,324

CABLES AND CONNECTORS

Creative solutions for convenient signal routing in architecturally esthetic applications



C-HM/HM PREMIUM HIGH-SPEED HDMI CABLE

- Lengths 0.9-15.2m (3-50ft)
- K-Lock Connectors
- 4K/60 UHD (4:2:0 4:4:4)
- 24K gold-plated

₱1,160

KDOC

- 4K0US
- US

₱7,50



KDOCK-3 USB-C HUB MULTIPORT ADAPTER

- 4K@30 HDMI output
- · 4K@30 DisplayPort output
- USB 3.0 data and charging port
- · Ethernet port
- USB-C data port and charging pass-through

₱15,006



KDOCK-5 USB-C HUB MULTIPORT ADAPTER

- 4K@60 HDMl output4K@60 DisplayPort output
- USB 3.0 data and charging ports
- Ethernet port
- USB-C charging pass-through
- Headset+mic port

₱21,82**7**

